

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

Post link: <https://angf35eis.com/chevy-silverado-engine-sizes-oil-capacity-oil-type/>

Years	Models	Engine Sizes	Oil Capacity	Oil Viscosity (Type)
2019	Silverado 1500	2.7L I4	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2020	Silverado 1500	2.7L I4	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2021	Silverado 1500	2.7L I4	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2020	Silverado 1500	3.0L V6	7.0 quarts	0W-20 (All TEMPS)
2021	Silverado 1500	3.0L V6	7.0 quarts	0W-20 (All TEMPS)
1999	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2000	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2001	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2002	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2003	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2004	Silverado 1500	4.3L V6	4.5 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2005	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 1500	4.3L V6	4.5 quarts	5W-30 (All TEMPS)

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2009	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W-30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 1500	4.3L V6	4.5 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2012	Silverado 1500	4.3L V6	4.5 quarts	5W-30 (All TEMPS)
2013	Silverado 1500	4.3L V6	4.5 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2014	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2015	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2016	Silverado 1500	4.3L V6	6.0 quarts	5W-30 (All TEMPS)
2017	Silverado 1500	4.3L V6	6.0 quarts	5W-30 (All TEMPS)
2018	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2019	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2020	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2021	Silverado 1500	4.3L V6	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
1999	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2000	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2001	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2002	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2003	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.

2004	Silverado 1500	4.8L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2005	Silverado 1500	4.8L V8	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 1500	4.8L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 1500	4.8L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 1500	4.8L V8	6.0 quarts	5W-30 (All TEMPS)
2009	Silverado 1500	4.8L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W- 30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 1500	4.8L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 1500	4.8L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2012	Silverado 1500	4.8L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 1500	4.8L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
1999	Silverado 1500	5.3L V8	6.0 quarts	10W30 (Above -18°C); 5W30 (All TEMPS); SAE 5W30 is preferred.
2000	Silverado 1500	5.3L V8	6.0 quarts	10W30 (Above -18°C); 5W30 (All TEMPS); SAE 5W30 is preferred.
2001	Silverado 1500	5.3L V8	6.0 quarts	10W30 (Above -18°C); 5W30 (All TEMPS); SAE 5W30 is preferred.
2005	Silverado 1500	5.3L V8	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 1500	5.3L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 1500	5.3L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 1500	5.3L V8	6.0 quarts	5W-30 (All TEMPS)

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2009	Silverado 1500	5.3L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W-30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 1500	5.3L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 1500	5.3L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2012	Silverado 1500	5.3L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 1500	5.3L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2014	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2015	Silverado 1500	5.3L V8	8.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2016	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2017	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2018	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2019	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2020	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
2021	Silverado 1500	5.3L V8	8.0 quarts	0W-20 (All TEMPS)
1999	Silverado 2500	5.3L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2000	Silverado 2500	5.3L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 1500	5.3L V8 (L59)	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 1500	5.3L V8 (L59)	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 1500	5.3L V8 (L59)	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 1500	5.3L V8 (LM7)	6.0 quarts	10W30 (Above -18°C); 5W30 (All TEMPS); SAE 5W30 is preferred.
2003	Silverado 1500	5.3L V8 (LM7)	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2004	Silverado 1500	5.3L V8 (LM7)	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2003	Silverado 1500	6.0L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2004	Silverado 1500	6.0L V8	6.0 quarts	10W30 (Above -18°C) 5W30 (All TEMPS) SAE 5W30 is preferred.
2005	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 1500	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2009	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W-30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 1500	6.0L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2010	Silverado 1500	6.0L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2012	Silverado 1500	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 1500	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2001	Silverado 1500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 1500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 1500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2005	Silverado 1500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 1500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 1500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
1999	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2000	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2001	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 2500	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2001	Silverado 2500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 2500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 2500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 2500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2005	Silverado 2500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 2500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)

2009	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W-30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 2500HD	6.0L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 2500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2012	Silverado 2500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2014	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2015	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2016	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2017	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2018	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2019	Silverado 2500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2001	Silverado 3500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 3500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 3500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 3500HD	6.0L V8	6.0 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2005	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.

2006	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2007	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2008	Silverado 3500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2009	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29) 5W-30 (Above -29) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W- 30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2010	Silverado 3500HD	6.0L V8	6.0 quarts	10W-30 (Above 0°C) 5W-30 (All TEMPS)
2011	Silverado 3500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2012	Silverado 3500HD	6.0L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2014	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2015	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2016	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2017	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2018	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2019	Silverado 3500HD	6.0L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)

2009	Silverado 1500	6.2L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (Above -29°C) If in area of extreme cold, where the temperature falls below the specified temperature range, use 5W-30 synthetic or 0W-30 meeting Original Equipment specifications. These provide easier starting of the engine at extremely low temperatures.
2011	Silverado 1500	6.2L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2012	Silverado 1500	6.2L V8	6.0 quarts	5W-30 (All TEMPS)
2013	Silverado 1500	6.2L V8	6.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2014	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2015	Silverado 1500	6.2L V8	8.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2016	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2017	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2018	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2019	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2020	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2021	Silverado 1500	6.2L V8	8.0 quarts	0W-20 (All TEMPS)
2001	Silverado 2500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2002	Silverado 2500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2003	Silverado 2500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2004	Silverado 2500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.

2005	Silverado 2500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2006	Silverado 2500HD	6.6L V8	10 quarts	10W-30 (-18 To 38°C) 15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below 38°C)
2007	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2008	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2009	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2010	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2011	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2012	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting

2013	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2014	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2015	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2016	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2017	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2018	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2019	Silverado 2500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2001	Silverado 3500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2002	Silverado 3500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2003	Silverado 3500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2004	Silverado 3500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2005	Silverado 3500HD	6.6L V8	10 quarts	15W-40, 10W-30 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below -18°C) Improves cold starting.
2006	Silverado 3500HD	6.6L V8	10 quarts	10W-30 (-18°C To 38°C) 15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (Below 38)
2007	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2008	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2009	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting

2010	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2011	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2012	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2013	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2014	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2015	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2016	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting

2017	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2018	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2019	Silverado 3500HD	6.6L V8	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2020	Silverado 2500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2021	Silverado 2500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2022	Silverado 2500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2020	Silverado 3500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2021	Silverado 3500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2022	Silverado 3500HD	6.6L V8 L5P	10 quarts	15W-40 (Above -18°C) SAE 15W-40 is preferred. 5W-40 (All TEMPS) When ambient temperature is below 0°F (-18°C), use 5W-40 to improve cold starting
2020	Silverado 2500HD	6.6L V8 L8T	8 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2021	Silverado 2500HD	6.6L V8 L8T	8 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2022	Silverado 2500HD	6.6L V8 L8T	8 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2020	Silverado 3500HD	6.6L V8 L8T	8.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2021	Silverado 3500HD	6.6L V8 L8T	8.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2022	Silverado 3500HD	6.6L V8 L8T	8.0 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS)
2001	Silverado 2500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 2500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2003	Silverado 2500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 2500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2005	Silverado 2500HD	8.1L V8	6.4 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 2500HD	8.1L V8	6.4 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2001	Silverado 3500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2002	Silverado 3500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.

1999-2022 Chevy Silverado 1500 1500HD 2500 2500HD 3500HD Oil Capacity and Oil Type

2003	Silverado 3500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2004	Silverado 3500HD	8.1L V8	6.4 quarts	10W-30 (Above -18°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.
2005	Silverado 3500HD	8.1L V8	6.4 quarts	5W-30 (All TEMPS) SAE 5W-30 is preferred.
2006	Silverado 3500HD	8.1L V8	6.4 quarts	0W-30 (Below -29°C) 5W-30 (All TEMPS) SAE 5W-30 is preferred.